

Tipos de síntomas hallados en fumadores de población adulta de la comunidad educativa cercana a la Universidad María Serrana, Asunción 2023

Types of symptoms found in smokers in the adult population of the educational community near the Maria Serrana University, Asunción 2023

Kaio Vinícius Gonçalves Monteiro

Victor Gustavo Barros da Silva

Mirta Denis

RESUMEN

Fumar es el mayor factor de riesgo para desarrollar cáncer de pulmón y está directamente relacionado con la intensidad y la duración del tabaquismo. La importancia de este estudio fue evaluar la incidencia del consumo en el público que viven cerca de la Universidad María Serrana, basados en estudios de investigación, por medio de presentación de gráficos. El objetivo principal de este trabajo es mostrar los índices del consumo del tabaco. Del total de 50, entre estudiantes y residentes, 27 (54%) eran hombres y 23 (46%) mujeres. Entre los encuestados, el 20% tenía menos de 25 años. las ocupaciones, el 78% se destina a estudiantes, el 22% a ocupaciones como: médico, enfermera, abogada, psicóloga y jubilada. 38% fuman menos de 6 años, y el 62%, fuman por más de 6 años. El mismo resultado coincidió para la presentación de tos. Los que tenían más tiempo de uso tenían tos, y los que tenían menos tiempo de uso tenían el mismo porcentaje de años de uso. De los encuestados el 100% dice no toser sangre, el 60% tiene los dientes amarillos, el 40% dice no tener relación con el cigarro. Y el 57% concluyó que ya intenta dejar de fumar, el 43% dice que nunca lo ha intentado. entre todos estos datos, el 90% nunca trató de ayudar a dejar de fumar. y solo el 10% lo buscó alguna vez.

Palabras clave: Síntomas, Fumadores, Comunidad Educativa



ABSTRACT

Smoking is the greatest risk factor for developing lung cancer and is directly related to the intensity and duration of smoking. The importance of this study was to evaluate the incidence of consumption in the public living near the María Serrana University, based on research studies, through the presentation of graphs. The main objective of this work is to show the rates of tobacco consumption. Of the total of 50, including students and residents, 27 (54%) were men and 23 (46%) were women. Among those surveyed, 20% were under 25 years old. occupations, 78% goes to students, 22% to occupations such as: doctor, nurse, lawyer, psychologist and retiree. 38% have smoked for less than 6 years, and 62% have smoked for more than 6 years. The same result coincided for the presentation of cough. Those who had more time of use had a cough, and those who had less time of use had the same percentage of years of use. Of those surveyed, 100% say they do not cough up blood, 60% have yellow teeth, 40% say they have no relationship with cigarettes. And 57% concluded that they are already trying to quit smoking, 43% say they have never tried. Among all this data, 90% never tried to help them quit smoking. and only 10% ever looked for it.

Keywords: Symptoms, Smokers, Educational Community